



After Shave Gel

Soothing and moisturizing gel used after shaving. Highlights Aristoflex[®] AVC and Zemea[®]

INCI Name	Brand Name	Percent
<i>Water</i>		69.55
<i>Cetearyl Alcohol (&) Polysorbate 60 (&) PEG-40 Hydrogenated Castor Oil (&) Meadowfoamamidopropyl Betaine (&) Dimethicone PEG-8 Meadowfoamate (&) Steareth-20 (&) Polysorbate 65</i>	Uni-Embase	0.50
<i>Polydimethylsiloxane</i>	Kippisil [®] DM 5	1.00
<i>Propanediol</i>	Zemea [®]	1.00
<i>PEG-10 Dimethicone</i>	Silsoft [™] 860	1.00
<i>Hydrolyzed Jojoba Esters (&) Jojoba Esters (&) Water</i>	Floraesters [®] K-100	0.20
<i>Ammonium Acryloyldimethyltaurate/ VP Copolymer</i>	Aristoflex [®] AVC	0.75
<i>Denatured Alcohol</i>		25.00
<i>Phenoxyethanol (&) Methylparaben (&) Ethylparaben (&) Butylparaben (and) Propylparaben (&) Isobutylparaben</i>	Phenonip	1.00
<i>Fragrance</i>		qs
		100.00%

In the appropriate size vessel, mix water, Uni-Embase, Kippisil[®], Zemea[®], Silsoft[™] 860, and Floraesters[®] K-100 with heat until batch is uniform. Remove heat source and allow batch to cool to room temperature. When batch has cooled, add Aristoflex[®] AVC and mix until a gel is formed. Add remaining ingredients and mix until batch is uniform.

Viscosity: 20000-26000cP
pH: 6-7
 2 wks at 50°C, 5 Freeze/Thaw cycles

Formula Number: 2826

The information contained herein is to the best of our knowledge true and accurate, but all recommendations and suggestions are made without guarantee. Since the conditions of use are beyond our control, Essential Ingredients disclaims any liability incurred with the use of these data or suggestions.

2408 Tech Center Parkway, Suite 200, Lawrenceville, GA 30043
 Phone 770-831-9010 / www.essentialingredients.com