

Elementis Specialties, Inc.
P.O. Box 700, Wyckoffs Mill Rd.
Hightstown, NJ 08520
Tel.: +1-609-443 2500
Fax: +1-609-443 2422
specialinfo.usa@elementis-na.com
Web: www.elementis-specialties.com

Elementis Specialties
PEGASUSPARK
De Kleetlaan 12 a, bus 3
1831 Diegem, Belgium
Tel.: +32-2-790 76 00
Fax: +32-2-790 76 60
specialinfo.eu@elementis-eu.com

ELEMENTIS
SPECIALTIES

ANTI-AGING COLOR RETENTION CONDITIONER

72-29

Anti-Aging Color Retention Conditioner containing MEADOWQUAT® HG-70, SHEA-AQUA-SOL™, FANCOR® SHEA BUTTER, FANCOR® UNI-EMBASE and ANTI-AGING HAIR COMPLEX™.

Advantages

The presence of MEADOWQUAT® HG-70, SHEA-AQUA-SOL™, FANCOR® SHEA BUTTER, FANCOR® UNI-EMBASE and ANTI-AGING HAIR COMPLEX™ additives in this system:

- Condition the hair imparting shine and body
- Enhance durability of hair color
- Improve stability

Ingredient	Supplier	% w/w
PHASE A		
MEADOWQUAT® HG-70 (PEG-2 Dimeadowfoamamidoethylmonium Methosulfate)	ELEMENTIS Specialties	1.0
SHEA-AQUA-SOL™ (PEG-75 Shea Butter Glycerides)	ELEMENTIS Specialties	1.0
De-ionised Water		82.5
Glycerine	UPI	3.0
PHASE B		
FANCOR® UNI-EMBASE (Cetearyl Alcohol, Polysorbate 65, Dimethicone PEG-8 Meadowfoamate, Meadowfoamamidopropyl Betaine)	ELEMENTIS Specialties	6.0
ANTI-AGING HAIR COMPLEX™ (Crambe Abyssinica Seed Oil, Hydrogenated Polyisobutene, PEG-2 Dimeadofoamamidoethylmonium Methosulfate, Olea Europaea (Olive) Oil Unsaponifiables)	ELEMENTIS Specialties	5.0
FANCOR® SHEA BUTTER (Butyrospermum Parkii (Shea Butter) Fruit)	ELEMENTIS Specialties	0.5
PHASE C		
Liquapar PE (Phenoxyethanol, Isopropylparaben, Isobutylparaben, Butylparaben)	ISP	0.6
Lanodant DM (DMDM Hydantoin)	Rita	0.4

Method of Manufacture

1. Combine Phase A and heat to 75°C.
2. In a separate vessel combine Phase B and heat to 75°C.
3. Add Phase B to Phase A using a propeller stirrer to mix thoroughly. Continue mixing for 10 minutes.
4. Cool to 45°C and add Phase C.
5. Cool to 40°C.
6. Weigh and make up the batch to 100% to compensate for water loss.

N.B.

Please refer to the Product Data Sheets for additional advice on incorporation.

SPECIFICATION:

Appearance: White Light Cream

pH: 4.96

Viscosity (RV, Spindle 5, 10 rpm, 23°C) : 13400 cps

The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchases will be subject to a separate agreement which will not incorporate this document.