

Elementis Specialties, Inc.
P.O. Box 700, Wyckoffs Mill Rd.
Hightstown, NJ 08520
Tel.: +1-609-443 2500
Fax: +1-609-443 2422
specialinfo.usa@elementis-na.com
Web: www.elementis-specialties.com

Elementis Specialties
PEGASUSPARK
De Kleetlaan 12 a, bus 3
1831 Diegem, Belgium
Tel.: +32-2-790 76 00
Fax: +32-2-790 76 60
specialinfo.eu@elementis-eu.com

ELEMENTIS
SPECIALTIES

BEAUTY WASH WITH BENTONE® EW

REF- KR9/079

A beauty wash containing BENTONE® EW.

Advantages

The presence of BENTONE® EW rheological additive in this system:

- Gives body to the product
- Provides enhanced stability

Ingredient	Supplier	% w/w
PHASE A		
BENTONE® EW (Hectorite)	ELEMENTIS Specialties	1.0
Deionised Water		64.3
PHASE B		
SERDET® DFK 30 (Sodium Lauryl Sulphate)	ELEMENTIS Specialties	15.0
Tego Betain F50 (Cocamidopropyl Betaine)	Evonik Degussa	8.0
Rewomid DC 212 S (Cocamide DEA)	Evonik Degussa	4.0
Genapol PDB (Glycol Distearate and Laureth-4 and Cocamidopropyl Betaine)	Clariant	4.0
Glycerin		2.5
Triethanolamine		0.4
Paratexin M (Methylparaben)	S. Black Group	0.1
PHASE C		
Tegin 4100 Pellets (Glyceryl Stearate)	Evonik Degussa	6.0
Paratexin P (Propylparaben)	S. Black Group	0.1

Method of Manufacture

1. Using vigorous agitation mix Phase A for 20 minutes.
2. Add Phase B and heat to 80°C.
3. In a separate vessel combine, Phase C and heat to 80°C.
4. Add Phase C to Phase A+B.
5. Cool to 35°C and package.

N.B.

Please refer to the Product Data Sheets for additional advice on incorporation.

The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchases will be subject to a separate agreement which will not incorporate this document.