

Elementis Specialties, Inc.
P.O. Box 700, Wyckoffs Mill Rd.
Hightstown, NJ 08520
Tel.: +1-609-443 2500
Fax: +1-609-443 2422
specialinfo.usa@elementis-na.com
Web: www.elementis-specialties.com

Elementis Specialties
PEGASUSPARK
De Kleetlaan 12 a, bus 3
1831 Diegem, Belgium
Tel.: +32-2-790 76 00
Fax: +32-2-790 76 60
specialinfo.eu@elementis-eu.com



HAND AND SKIN MOISTURIZING EMULSION

BY 3129-51

Hand and Skin Moisturizing Emulsion containing FANWAX[®] SEW-P, FANCOR[®] JOJOBA OIL-ORG, FANOLIVE[®] OIL-ORG, FANCOL[®] SHEA BUTTER, FANCOR[®] ABYSINNIAN OIL, EMCON[™] W, MEADOWESTOLIDE[®] and FANCORSIL[®] HA SUPER.

Advantages

The presence of FANWAX[®] SEW-P, FANCOR[®] JOJOBA OIL-ORG, FANOLIVE[®] OIL-ORG, FANCOL[®] SHEA BUTTER, FANCOR[®] ABYSINNIAN OIL, EMCON[™] W, MEADOWESTOLIDE[®] and FANCORSIL[®] HA SUPER additives in this system:

- Give a body to the formula
- Moisturize the skin
- Impart a very nice after-feel

Ingredient	Supplier	% w/w
PHASE A		
De-ionised Water		70.5
Glycerin	UPI	3.0
PHASE B		
FANWAX[®] SEW-P (Cetearyl Alcohol and PEG Sorbate Stearate)	ELEMENTIS Specialties	4.0
FANCIR[®] JOJOBA OIL-ORG (Simmondsia Chinensis (Jojoba) Seed Oil)	ELEMENTIS Specialties	4.0
FANOLIV[®] OIL-ORG (Olea Europaea (Olive) Fruit Oil)	ELEMENTIS Specialties	4.0
FANCOL[®] SHEA BUTTER (Butyrospermum Parkii (Shea Butter) Fruit)	ELEMENTIS Specialties	2.0
FANCOR[®] ABYSSINIAN OIL (Crambe Abyssinica Seed Oil)	ELEMENTIS Specialties	1.0
EMCON[™] W (Triticum Vulgave (Wheat) Germ Oil)	ELEMENTIS Specialties	1.0
Cetostearyl Alcohol (Cetearyl Alcohol)	Croda	2.0
PHASE C		
MEADOWESTOLIDE[®] (Meadowfoam Estolide)	ELEMENTIS Specialties	2.0
Germaben II-E (Propylene Glycol, Diazolidinyl Urea, Methylparaben and Propylparaben)	ISP	1.0
PHASE D		
FANCORSIL[®] HA SUPER (Glyceryl Polyacrylate, Dimethicone and Cyclomethicone)	ELEMENTIS Specialties	5.0
PHASE E		
Fragrance	ICT	0.2

Method of Manufacture

1. Put Phase A into the main vessel and heat to 75°C.
2. Heat Phase B in a separate vessel to 80°C.
3. Add Phase B to Phase A and mix with a Silverson homogeniser for 15 minutes.
4. Transfer to a propeller stirrer and cool to 50°C. Add Phase C and mix until uniform.
5. Add Phase D and mix until uniform.
6. Cool to 30°C and add Phase E. Mix until uniform.

N.B.

Please refer to the Product Data Sheets for additional advice on incorporation.

SPECIFICATION:

Appearance: Off White Light Cream

pH: 5.6

Viscosity (RV, Spindle 5, 10 rpm, 21°C) : 29080 cps

The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchases will be subject to a separate agreement which will not incorporate this document.