

Elementis Specialties, Inc.	Elementis GmbH
P.O. Box 700, Wyckoffs Mill Rd.	Technical Centre
Hightstown, NJ 08520	Stolberger Strasse 370
Tel.: +1-609-443 2500	50933 Cologne, Germany
Fax: +1-609-443 2422	Tel: +49 (0)221 2923 2000
specialinfo.usa@elementis-na.com	Fax: +49 (0)221 2923 2010
Web: www.elementis-specialties.com	specialinfo.eu@elementis-eu.com

ELEMENTIS

SPECIALTIES

HOT POUR EYESHADOW

KR9/122

Eyeshadow containing FANCOR® ABYSSINIAN OIL, BENTONE GEL® ISD V, MEADOWESTOLIDE® and FANCOL® POLYISO® 275-CG.

Advantages

The presence of FANCOR® ABYSSINIAN OIL, BENTONE GEL® ISD V, MEADOWESTOLIDE® and FANCOL® POLYISO® 275-CG in this system:

- Aide smooth application
- Stabilize the pigments

Ingredient	Supplier	% w/w
PHASE A		
BENTONE GEL® ISD V (Isododecane, Distearidimonium Hectorite and Propylene Carbonate)	ELEMENTIS Specialties	14.0
FANCOR® ABYSSINIAN OIL (Crambe Abyssinica Seed Oil)	ELEMENTIS Specialties	5.0
MEADOWESTOLIDE® (Meadowfoam Estolide)	ELEMENTIS Specialties	1.0
Ceresin Wax (Ceresin)	Strahl & Pitsch	7.0
Microcrystalline Wax	Strahl & Pitsch	6.0
Softisan 649 (Bis-Diglyceryl Polyacyladipate-2)	Sasol	5.0
Beeswax	A&E Connock	5.0
Wacker Belsil RG 100 (Cyclopentasiloxane, Dimethicone/Vinyltrimethylsiloxysilicate Crosspolymer)	Wacker Chemie	5.0
Tegosoft M (Isopropyl Myristate)	Evonik	5.0
Carnauba Wax (Copernicia Cerifera (Carnauba) Wax)	Strahl & Pitsch	4.0
Softisan 100 (Hydrogenated Cocoglycerides)	Sasol	3.0
HD-Eutanol V (Oleyl Alcohol)	Cognis	1.5
PHASE B		
FANCOL® POLYISO® 275-CG (Hydrogenated Polyisobutene)	ELEMENTIS Specialties	6.5
Gemtone Goldstone G014 (Mica, Titanium Dioxide, Iron Oxides, Ferric Ferrocyanide)	BASF	10.0
Gemtone Sunstone G012 (Mica, Titanium Dioxide, Iron Oxides, Carmine)	BASF	10.0
Luvitol EHO (Cetearyl Ethylhexanoate)	BASF	7.0
Flamenco Winter Sparkle 130Q (Mica, Titanium Dioxide)	BASF	5.0

Method of Manufacture

1. Heat Phase A to 80°C.
2. Add premixed Phase B to Phase A and mix until uniform.
3. Cool to 75°C and pour into containers

N.B.

Please refer to the Product Data Sheets for additional advice on incorporation.

SPECIFICATION:

Appearance: Brown Semi-Solid

pH: N/A

The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchases will be subject to a separate agreement which will not incorporate this document.