

Elementis Specialties, Inc.	Elementis GmbH
P.O. Box 700, Wyckoffs Mill Rd.	Technical Centre
Hightstown, NJ 08520	Stolberger Strasse 370
Tel.: +1-609-443 2500	50933 Cologne, Germany
Fax: +1-609-443 2422	Tel: +49 (0)221 2923 2000
specialinfo.usa@elementis-na.com	Fax: +49 (0)221 2923 2010
Web: www.elementis-specialties.com	specialinfo.eu@elementis-eu.com



FEMME FATALE LIPSTICK

BASF: CLG.NA-L-090043

Lipstick containing MEADOWESTOLIDE®, BENTONE GEL® ISD V, FANCOR® ABYSSINIAN OIL and EmCon™ CO.

Advantages

The presence of MEADOWESTOLIDE®, BENTONE GEL® ISD V, FANCOR® ABYSSINIAN OIL and EmCon™ CO in this system:

- Aid smooth application and soften the lips
- Stabilize the pigments

Ingredient	Supplier	% w/w
PHASE A		
FANCOR® ABYSSINIAN OIL (Crambe Abyssinica Seed Oil)	ELEMENTIS Specialties	23.0
BENTONE GEL® ISD V (Isododecane, Distearidimonium Hectorite and Propylene Carbonate)	ELEMENTIS Specialties	8.0
MEADOWESTOLIDE® (Meadowfoam Estolide)	ELEMENTIS Specialties	2.0
Tegosoft M (Isopropyl Myristate)	Evonik	7.0
Wacker Belsil RG 100 (Cyclopentasiloxane, Dimethicone/Vinyltrimethylsiloxysilicate Crosspolymer)	Wacker Chemie	7.0
Beeswax	A&E Connock	6.0
Ozokerite Wax (Ozokerite)	Strahl & Pitsch	6.0
Candelilla Wax (Euphorbia Cerifera (Candelilla) Wax)	Strahl & Pitsch	5.0
Microcrystalline Wax	Strahl & Pitsch	5.0
Softisan 649 (Bis-Diglyceryl Polyacyladipate-2)	Sasol	4.0
Softisan 100 (Hydrogenated Cocoglycerides)	Sasol	4.0
Carnauba Wax (Copernicia Cerifera (Carnauba) Wax)	Strahl & Pitsch	3.0
HD-Eutanol V (Oleyl Alcohol)	Cognis	2.0
PHASE B		
EmCon™ CO (Ricinus Communis (Castor) Seed Oil)	ELEMENTIS Specialties	1.95
Schercemol DISM Ester (Diisostearyl Malate)	Noveon	12.0
Cloisonne Rouge Flambe 400X (Mica, Iron Oxides, Titanium Dioxide)	BASF	2.0
Red 6 Lake		1.05
Reflecks Really Rouge G670L (Calcium Sodium Borosilicate, Iron Oxides)	BASF	1.0

Method of Manufacture

1. Heat Phase A to 80°C.
2. Heat Phase B to 80°C.
3. Add Phase B to Phase A and mix until uniform.
4. Cool to 75°C and pour into lipstick mould.

N.B.

Please refer to the Product Data Sheets for additional advice on incorporation.

SPECIFICATION:

Appearance: Pearlescent Red Solid

The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchases will be subject to a separate agreement which will not incorporate this document.