Elementis Specialties, Inc.

P.O. Box 700, Wyckoffs Mill Rd. Hightstown, NJ 08520 Tel.: +1-609-443 2500

Fax: +1-609-443 2422

specialinfo.usa@elementis-na.com Web: www.elementis-specialties.com

Elementis Specialties

PEGASUSPARK
De Kleetlaan 12 a, bus 3
1831 Diegem, Belgium

Tel.: +32-2-790 76 00 Fax: +32-2-790 76 60

specialinfo.eu@elementis-eu.com



Lipstick "Soft and Moist" RECF- TS-129

Lipstick containing BENTONE GEL® CAO V and THIXCIN® R, rheological additives

Advantages

The presence of BENTONE GEL® CAO V and THIXCIN® R rheological additives, in this system:

- Enhances the appearance of the stick
- · Allows for better dispersion of the pigment
- · Improves the release of the stick from the mold
- Gives a creamier and softer feel on the lips

Ingredient	Supplier	% w/w
PART A		
BENTONE GEL® CAO V (Ricinus Communis and Stearalkonium Hectorite and Propylene Carbonate)	ELEMENTIS Specialties	10.0
Lexol PG-865 (Propylene Glycol Dicaprylate/Caprate)	Inolex	31.4
Castor Oil (Ricinus Communis)		24.0
Cerilla G (Candelilla Cera and Paraffin)	Barlocher France	8.0
Cerezo E626 (Ozokerite)	Barlocher France	4.0
Paratexin P (Propylparaben)	S. Black	0.1
PART B		
THIXCIN® R (Trihydroxystearin)	Elementis Specialties	2.0
PART C		
COD 8001 (Ricinus Communis and Red 7 Lake)	Sun Chemical	20.0
PART D		1
Perfume		0.5

Method of Manufacture

- 1. Heat Phase A together to 85°C.
- 2. Bring temperature down to 80°C. Add and mix in Phase B, using a homomixer at medium speed.
- 3. Mix for 10 minutes at 80°C.
- 4. Add Phase C and mix for 5 minutes.
- 5. Continue mixing at medium speed and lower temperature to 70°C and add Phase D and mix for 5 minutes.
- 6. Pour into molds.

N.B.

Please refer to the Product Data Sheets for additional advice on incorporation.

The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchases will be subject to a separate agreement which will not incorporate this document.