Elementis Specialties, Inc.

P.O. Box 700, Wyckoffs Mill Rd. Hightstown, NJ 08520

Tel.: +1-609-443 2500 Fax: +1-609-443 2422

specialinfo.usa@elementis-na.com

Web: www.elementis-specialties.com

Elementis Specialties

PEGASUSPARK De Kleetlaan 12 a, bus 3 1831 Diegem, Belgium

Tel.: +32-2-790 76 00 Fax: +32-2-790 76 60

specialinfo.eu@elementis-eu.com



WATER IN OIL LIPGLOSS WITH **BENTONE GEL® GTCC V**

RECF-KR3/092

Water in oil Lipgloss containing BENTONE GEL® GTCC V, rheological additive.

Advantages

The presence of BENTONE GEL® GTCC V rheological additive in this system:

- Improves emulsion stability
- Aids colour distribution in the product
- Imparts viscosity and body
- Provides ease of application and spreadability

Ingredient	Supplier	% w/w
PHASE A		
BENTONE GEL® GTCC V (Caprylic/Caprc Triglyceride and Stearalkonium Hectorite and Propylene Carbonate)	ELEMENTIS Specialties	20.0
Castor Oil (Ricinus Communis)	John L Seatons & Co Ltd	32.5
Sisterna A10E-C (Sucrose Terastearate Triacetate)	Sisterna	5.0
COD 8006 (Ricinus Communis and CI 77491and BHT)	Sun Chemical	3.0
Colorona Glitter Bordeaux (Mica and CI 77491)	Merck	2.5
COD8008 (Ricinus Communis and CI 77891and BHT)	Sun Chemical	1.0
Paratexin P (Propylparaben)	S. Black Group	0.2
PHASE B		
De-ionised Water		30.6
Glycerine		5.0
Paratexin M (Methylparaben)	S. Black Group	0.2

Method of Manufacture

- 1. Heat Phase A together to 80°C.
- 2. Heat together Phase B to 75°C.
- 3. Add Phase B to Phase A using high shear mixing (i.e. a silverson homogeniser).
- 4. Fill into containers and allow to cool.

N.B.

Please refer to the Product Data Sheets for additional advice on incorporation.



The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchases will be subject to a separate agreement which will not incorporate this document.