Elementis Specialties, Inc.

P.O. Box 700, Wyckoffs Mill Rd. Hightstown, NJ 08520

Tel.: +1-609-443 2500 Fax: +1-609-443 2422

specialinfo.usa@elementis-na.com
Web: www.elementis-specialties.com

Elementis Specialties

PEGASUSPARK
De Kleetlaan 12 a, bus 3
1831 Diegem, Belgium

Tel.: +32-2-790 76 00 Fax: +32-2-790 76 60

specialinfo.eu@elementis-eu.com



24 HOUR ANTI-PERSPIRANT/DEODORANT STICK WITH THIXCIN® R

Evonik Degussa: UP 13/04

A stick anti-perspirant system, containing THIXCIN® R.

Advantages

The presence of THIXCIN® R, rheological additive in this system:

- Imparts smoother surface appearance
- · Provides good rheological properties

Ingredient	Supplier	% w/w
PHASE A		
Tego Alkanol 18 Pellets (Stearyl Alcohol)	Evonik Degussa	16.25
Varonic APS (PPG-11 Stearyl Ether)	Evonik Degussa	5.0
Varonic APM (PPG-3 Myristyl Ether)	Evonik Degussa	5.0
PHASE B		
THIXCIN® R (Trihydroxystearin)	ELEMENTIS Specialties	1.75
PHASE C		
Dow Corning 246 Fluid (Cyclohexasiloxane and Cyclopentasiloxane)	Dow Corning	44.5
PHASE D		1
Reach 501 (Aluminium Chlorohydrate)	Reheis	20.0
Aerosil R 972 (Silica Dimethyl Silylate)	Evonik Degussa	3.0
PHASE E		1
Tegodeo LYS (Zinc Ricinoleate and Lysine and Propylene Glycol)	Evonik Degussa	4.0
Tego Cosmo P 813 (Polyglyceryl-3 Caprylate)	Evonik Degussa	0.5

Method of Manufacture

- 1. Melt Phase A together at 80-85°C.
- 2. Cool to 75-78°C.
- 3. Add Phase B and stir for another 15 minutes.
- 4. While stirring add Phase C. Stir until homogenously dispersed.
- 5. Add Phase D and stir for another 5 minutes.
- 6. Add Phase E and stir for another 5 minutes.
- 7. Compensate for the loss of Cyclopentasiloxane (and) Cyclohexasiloxane prior to filling (temperature 68-70°C).

N.B.

Please refer to the Product Data Sheets for additional advice on incorporation.

The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchases will be subject to a separate agreement which will not incorporate this document.