

Coconut Mango Sugar Lip Polish

C-1010-01

DESCRIPTION

This smoothing sugar polish gently buffs the lips with a sweet sugar scrub delivered in skin conditioning emollients. Lips feel smooth, soft and moisturized after use.

ADVANTAGES

MEADOWESTOLIDE® provides moisturization and contributes to a luxurious skin feel.

MEADOWLACTONE® helps eliminate the appearance of dry skin and adjust hydration levels.

FANCOL® VB allows for smooth application and is extremely valuable as a moisturizer.

FANCOL® SHEA BUTTER protects the skin and eases irritation. It improves softness while delivering good spreadability.

SPECIFICATIONS

Appearance: Yellow semi-solid

Phase	Ingredient	Supplier	%w/w
A	Crambe Abyssinica Seed Oil (FANCOR® ABYSSINIAN OIL)	Elementis	20.00
	Yellow 5 Lake		0.20
B	Coco Nucifera (Coconut) Oil		12.00
	Limnanthes Alba (Meadowfoam) Seed Oil (and) Butyrospermum Parkii (Shea) Butter (FANCOL® VB)	Elementis	10.00
	Euphorbia Cerifera (Candelilla) Wax		7.00
	Microcrystalline Wax (Multiwax 180)	Sonneborn	4.00
	Isononyl Isononanoate		4.00
	Meadowfoam Estolide (MEADOWESTOLIDE®)	Elementis	3.00
	Synthetic Wax (and) Silica (Kobo SW5M5)	Kobo	3.00
	Butyrospermum Parkii (Shea) Butter (FANCOL® SHEA BUTTER)	Elementis	2.00
	Meadowfoam Delta Lactone (MEADOWLACTONE®)	Elementis	2.00
Caprylyl Glycol		0.30	
	Tocopheryl Acetate		0.10
C	Sucrose		31.00
D	Flavor (Mango Madness sweetened Flavor Oil)		1.40

Procedure:

1. Combine Phase A and mix until pigments are fully dispersed.
2. Heat Phase A to 80°C.
3. Add Phase B to Phase A and continue heating. Mix until uniform.
4. Begin cooling with continued propeller mixing.
5. At 70°C add Phase C to main batch and mix well.
6. At 50°C add Phase D and mix well.
7. Pour into suitable containers and allow to cool.

Reference: 03354-9A

NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.

© Copyright 2018, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc.

© Registered trademark of Elementis Specialties, Inc.

V02 April 2018

North America

Elementis
469 Old Trenton Road
East Windsor, NJ 08512, USA
Tel.: +1 609 443 2500
Fax: +1 609 443 2422

Europe

Elementis UK Ltd.
c/o Elementis GmbH
Stolberger Strasse 370
50933 Cologne, Germany
Tel.: +49 221 2923 2066
Fax: +49 221 2923 2011

Asia

Deuchem (Shanghai) Chemical Co., Ltd.
99, Lianyang Road
Songjiang Industrial Zone
Shanghai, China 201613
Tel.: +86 21 5774 0348
Fax: +86 21 5774 3563