

Intense Moisturizing Cream

B-1004-01

DESCRIPTION

A rich emollient cream with a non-greasy texture combining Shea Butter and **MEADOWESTOLIDE®** to moisturize the skin.

ADVANTAGES

BENTONE® LT is a highly efficient thickener that enhances the formulation stability.

FANCOL® SHEA BUTTER protects the skin and eases irritation. It improves skin softness while delivering good spreadability.

MEADOWESTOLIDE® helps to adjust hydration levels of the interstitial spaces and provides significant moisturization benefits.

SPECIFICATIONS

Viscosity: RV, Spindle T-E. 20rpm
55,000-65,000 cps

pH: 6.5-7.0

Appearance: Thick white cream

Phase	Ingredient	Supplier	%w/w
A	Deionized Water		70.00
B	Glycerin		2.50
	Propylene Glycol		2.50
	Hectorite (and) Hydroxyethylcellulose (BENTONE® LT)	Elementis	1.00
C	Sodium Hydroxide (25% Solution)		0.40
	Disodium EDTA		0.10
D	Stearic Acid		6.00
	C12-15 Alkyl Benzoate (Finsolv TN)	Innospec	4.50
	Caprylic/Capric Triglyceride (Liponate GC)	Lipo Chemicals	3.50
	Caprylyl Methicone (Botanosil CPM-10)	Botanigenics	2.00
	Glyceryl Stearate SE (Cithrol GMS 40 SE-PA)	Croda	1.50
	Glyceryl Stearate (Cithrol GMS 40 PA-SG)	Croda	1.50
	Cetearyl Alcohol	Croda	1.50
	Meadowfoam Estolide (MEADOWESTOLIDE®)	Elementis	1.50
	Butyrospermum Parkii (Shea) Butter (FANCOL® SHEA BUTTER)	Elementis	0.50
E	Phenoxyethanol (and) Ethylhexylglycerin (Euxyl PE9010)	Schulke & Mayr	1.00

Procedure:

1. Heat Phase A to 80°C with propeller mixing.
2. Add Phase B to Phase A and mix until uniform.
3. Add Phase C.
4. Heat Phase D to 80°C. Add to Phase A/B/C and mix.
5. Cool to 40°C and add Phase E.
6. Continue cooling with propeller mixing.

Reference: 3253-35/2

NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.

© Copyright 2018, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc.

© Registered trademark of Elementis Specialties, Inc.

V02 March 2018

North America

Elementis
469 Old Trenton Road
East Windsor, NJ 08512, USA
Tel.: +1 609 443 2500
Fax: +1 609 443 2422

Europe

Elementis UK Ltd.
c/o Elementis GmbH
Stolberger Strasse 370
50933 Cologne, Germany
Tel.: +49 221 2923 2066
Fax: +49 221 2923 2011

Asia

Deuchem (Shanghai) Chemical Co., Ltd.
99, Lianyang Road
Songjiang Industrial Zone
Shanghai, China 201613
Tel.: +86 21 5774 0348
Fax: +86 21 5774 3563