

Violet Pirouette Lip Stain

C-1014-01

DESCRIPTION

This vibrant lip color has been enriched with **MEADOWESTOLIDE®** and **FANCOR® MEADOWFOAM SEED OIL** to moisturize and soften the lips leaving a satin smooth finish.

ADVANTAGES

MEADOWESTOLIDE® provides moisturization and contributes to a luxurious skin feel.

FANCOR® MEADOWFOAM SEED OIL provides a natural lustre, improves skin moisturization and spreadability.

BENTONE GEL® GTCC V improves the suspension of the pigments and enhances stability and spreadability.

SPECIFICATIONS

Appearance: Purple liquid

Phase	Ingredient	Supplier	%w/w
A	Dimethicone (and) Dimethicone Crosspolymer (Dowsil 9041 Silicone Elastomer Blend)	Dow Corning	30.00
	Caprylic/Capric Triglyceride (and) Stearalkonium Hectorite (and) Propylene Carbonate (BENTONE GEL® GTCC V)	Elementis	12.75
	Hydrogenated Polyisobutene (FANCOR® POLYISO® 450-CG)	Elementis	10.00
	Microcrystalline Wax (Multiwax 180-W)	Sonneborn	10.00
	Limnanthes Alba (Meadowfoam) Seed Oil (FANCOR® MEADOWFOAM SEED OIL)	Elementis	6.00
	Phenyl Trimethicone (DC 556 Fluid)	Dow Corning	5.00
	Dimethicone (Element14* PDMS 350)	Momentive	4.00
	Vinyl Dimethicone/Methicone Silsequioxane Crosspolymer (KSP 101)	Shin Etsu	3.00
	Ozokerite (Ozokerite Wax 996P)	Strahl & Pitsch	2.00
B	Mica (Kobomica L50)	Kobo	3.00
	Kaolin		3.00
	Nylon-12 (Kobo SP-10)	Kobo	1.00
C	Pentaerythrityl Tetraisostearate (Crodamol PTIS)	Croda	5.00
	Red 27 Lake		2.50
	Blue 1 Lake		0.15
D	Meadowfoam Estolide (MEADOWESTOLIDE®)	Elementis	2.00
	Caprylhydroxamic Acid (and) Caprylyl Glycol (and) Glycerin (Spectrastat)	Inolex	0.50
	Tocopheryl Acetate		0.10

Procedure:

1. Mix Phase A and heat to 75-80°C. Add Phase B and mix.
2. Add fully dispersed Phase C and cool to 50°C.
3. Add Phase D and cool with mixing.

Reference: 03353-50A

NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.

© Copyright 2018, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc.

© Registered trademark of Elementis Specialties, Inc.

V02 April 2018

North America

Elementis
469 Old Trenton Road
East Windsor, NJ 08512, USA
Tel.: +1 609 443 2500
Fax: +1 609 443 2422

Europe

Elementis UK Ltd.
c/o Elementis GmbH
Stolberger Strasse 370
50933 Cologne, Germany
Tel.: +49 221 2923 2066
Fax: +49 221 2923 2011

Asia

Deuchem (Shanghai) Chemical Co., Ltd.
99, Lianyang Road
Songjiang Industrial Zone
Shanghai, China 201613
Tel.: +86 21 5774 0348
Fax: +86 21 5774 3563