



Water Resistant Mascara

INCI Name	Brand Name	Percent
Stearic Acid		2.00
Glyceryl Stearate SE	Emulse GMS SE	2.00
Beeswax		8.00
Rice wax		5.00
Limnanthes Alba (Meadowfoam) Seed Oil	Fancor [®] Meadowfoam Seed Oil	7.00
Water		55.95
Propanediol	Zemea [®]	2.00
DMDM Hydantoin	Esept DMDMH	0.30
Triethanolamine		1.75
Methyl Dihydroabietate	Meristant [®] 101L	6.00
Iron Oxide	Black Iron Oxide	10.00
		100.00%

Combine stearic acid, Emulse GMS SE, Beeswax, rice wax, Meristant[®] 101L and Fancor[®] Meadowfoam seed oil. Heat to 85°C. In a separate container, mix water and Zemea[®]. Heat to 75°C. Add water phase to oil phase while maintaining temperature and agitation for 1 hour. Reduce heat. When temperature is below 60C, add Esept DMDMH and iron oxide. Mix until homogenous.

Formula Number: 3014

The information contained herein is to the best of our knowledge true and accurate, but all recommendations and suggestions are made without guarantee. Since the conditions of use are beyond our control, Essential Ingredients disclaims any liability incurred with the use of these data or suggestions.

2408 Tech Center Parkway, Suite 200, Lawrenceville, GA 30043
Phone 770-831-9010 /www.essentialingredients.com