

Lanolin USP AAA

Product Specifications

INCI NAME: Lanolin

MATERIAL DESCRIPTION:

Color: yellow to amber

Odor: mild, characteristic

Appearance/Physical State: soft wax

TEST ITEM & CONDITION	LIMIT	UNIT	METHOD
Color, Gardner	0-9		AATM 101B
Melt Range, Class II	38-44	°C	AATM 103B
Moisture	0.00-0.25	% wt	AATM 106B
Acidity	0.0-2.0	mg KOH/g	AATM 143
Acid Value	0.00-1.12	mg/g	AATM 109
Saponification Value	85-105	mg/g	AATM 110
Iodine Value	18-36		AATM 112
Ash	0.0-0.1	% wt	AATM 107B
H2O Sol Acid-Alkali	passes USP test		AATM 113A
H2O Sol. Oxidiz. Sub.	passes USP test		AATM 113B
Alkalinity	passes USP test		AATM 114
Ammonia	passes USP test		AATM 140
Petrolatum	passes USP test		AATM 141
Chloride	passes USP test		AATM 142
Foreign Substance	0-40	ppm	AATM 570

Previous Edition: May 24, 2004

1. Although testing is not performed on every lot, the manufacturer guarantees that the above material meets the following specification: Microbiological Count - TBC less than 10 per gram.
2. Lubrizon Advanced Materials' Lanolin Products, and all feed stocks used in preparing these products, do not contain extracts of the brain, bone-marrow, eyes, spinal chord, or spleen from Bovine, Ovine, Caprine animals.

READ PRECAUTIONARY INFORMATION AND MATERIAL SAFETY SHEETS. THIS PRODUCT IS SHIPPED IN COMPLIANCE WITH APPLICABLE LAWS AND REGULATIONS REGARDING CLASSIFICATION, PACKAGING, SHIPPING AND LABELING.

Lubrizon Advanced Materials, Inc. / 9911 Brecksville Road, Cleveland, Ohio 44141-3247 / TEL: 800.379.5389 or 216.447.5000

Lubrizon Advanced Materials, Inc. cannot guarantee how the product(s) will perform in combination with other substances or in the user's process. Therefore, no representations, guarantees or warranties of any kind are made as to the suitability of this product(s) for particular applications. End product performance is

the responsibility of the user. Lubrizon Advanced Materials, Inc. shall not be liable for and the customer assumes all risk and liability of any use or handling of any material beyond Lubrizon Advanced Materials' direct control. The SELLER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING,

BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without permission of the patent owner.

For further information, please visit www.personalcare.noveon.com

Lubrizon Advanced Materials, Inc. is a wholly owned subsidiary of The Lubrizon Corporation

* Trademark owned by The Lubrizon Corporation

© Copyright 2007 / The Lubrizon Corporation