

Aqualon® CMC 7HXF Cellulose Gum  
® Registered Trademark, Ashland or its  
subsidiaries  
431157

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

|  |  |  |
|--|--|--|
| Ashland<br>P.O. Box 2219<br>Columbus, OH 43216 | Regulatory Information Number<br>Telephone<br>Emergency telephone                      | 1-800-325-3751<br>614-790-3333<br>1-800-ASHLAND (1-800-274-5263) |
| Product name                                   | Aqualon® CMC 7HXF Cellulose Gum<br>® Registered Trademark, Ashland or its subsidiaries |  |
| Product code                                   | 431157   |  |
| Product Use Description                        | No data  |  |

**2. HAZARDS IDENTIFICATION**

**Emergency Overview**

Appearance: solid, off-white

WARNING! MAY FORM COMBUSTIBLE DUST-AIR MIXTURES.

**Potential Health Effects**

**Exposure routes**

Inhalation, Skin contact, Eye Contact, Ingestion

**Eye contact**

Dust can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes.

**Skin contact**

Unlikely to cause skin irritation or injury.

**Ingestion**

Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful.

**Inhalation**

Aqualon® CMC 7HXF Cellulose Gum  
® Registered Trademark, Ashland or its  
subsidiaries  
431157

This material is a dust or may produce dust. Prolonged or repeated breathing of this material may result in chronic bronchitis (inflammation of the airways of the lungs). Symptoms include coughing and shortness of breath. Symptoms are not expected at air concentrations below the recommended exposure limits, if applicable (see Section 8.).

**Aggravated Medical Condition**

Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: lung (for example, asthma-like conditions)

**Symptoms**

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: irritation (nose, throat, airways)

**Target Organs**

No data

**Carcinogenicity**

Based on the available information, this material cannot be classified with regard to carcinogenicity. This material is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA).

**Reproductive hazard**

There are no data available for assessing risk to the fetus from maternal exposure to this material.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

This product is considered hazardous according to the OSHA Hazard Communication Standard 29CFR1910.1200 due to flammable dust potential.

**4. FIRST AID MEASURES**

**Eyes**

Aqualon® CMC 7HXF Cellulose Gum  
® Registered Trademark, Ashland or its  
subsidiaries  
431157

If symptoms develop, move individual away from exposure and into fresh air. Flush eyes gently with water while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.

### **Skin**

First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.

### **Ingestion**

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

### **Inhalation**

If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention.

### **Notes to physician**

**Hazards:** No information available.

**Treatment:** No information available.

## **5. FIRE-FIGHTING MEASURES**

### **Suitable extinguishing media**

Water spray

### **Hazardous combustion products**

carbon dioxide and carbon monoxide

### **Precautions for fire-fighting**

Organic dusts at sufficient concentration can form explosive mixtures in air. Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA). Use water spray to cool fire exposed containers and structures until fire is out if it can be done with minimal risk. Avoid spreading burning material with water used for cooling purposes.

Aqualon® CMC 7HXF Cellulose Gum  
® Registered Trademark, Ashland or its  
subsidiaries  
431157

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions

For personal protection see section 8. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Avoid breathing dust.

### Environmental precautions

Do not flush into surface water or sanitary sewer system.

### Methods for cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Pick up and arrange disposal without creating dust.

### Other information

Comply with all applicable federal, state, and local regulations.

## 7. HANDLING AND STORAGE

### Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed. Avoid dust formation. The material can accumulate static charge and can therefore cause electrical ignition of flammable atmospheres. Ensure all equipment is electrically grounded and bonded before beginning transfer operations. Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards. For further guidance on prevention of dust explosions, refer to National Fire Protection Association (NFPA) 654: "Standard for the Prevention of Fire and Dust Explosions, from the Manufacturing, Processing and Handling of Combustible Particulate Solids".

### Storage

Store in a cool, dry, ventilated area. Keep from freezing.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

### General advice

Aqualon® CMC 7HXF Cellulose Gum  
® Registered Trademark, Ashland or its  
subsidiaries  
431157

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

Avoid breathing dust.

### **Exposure controls**

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects. For exposures to dust, utilize the exposure limits for Particulates (insoluble) Not Otherwise Classified (PNOC). ACGIH TWA - 10 mg/m<sup>3</sup> inhalable fraction, 3 mg/m<sup>3</sup> respirable fraction. OSHA PEL - 15 mg/m<sup>3</sup> total dust, 5 mg/m<sup>3</sup> respirable fraction.

### **Eye protection**

Wear safety glasses or chemical splash goggles when dust exposure is possible.

### **Skin and body protection**

Wear normal work clothing including long pants, long-sleeved shirts and foot covering to prevent direct contact of the product with the skin. Launder clothing before reuse. If skin irritation develops, contact your facility health and safety professional or your local safety equipment supplier to determine the proper personal protective equipment for your use.

Wear resistant gloves (consult your safety equipment supplier).

### **Respiratory protection**

A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

|                       |                  |
|-----------------------|------------------|
| <b>Physical state</b> | solid            |
| <b>Form</b>           | granules, powder |
| <b>Colour</b>         | off-white        |
| <b>Odour</b>          | odourless        |

Aqualon® CMC 7HXF Cellulose Gum  
® Registered Trademark, Ashland or its  
subsidiaries  
431157

|  |                                       |
|--|---------------------------------------|
| <b>Boiling point/boiling range</b>                 | no data available                     |
| <b>Melting point/range</b>                         | no data available                     |
| <b>Sublimation point</b>                           | no data available                     |
| <b>pH</b>  | 6.5 - 8.5 @ 2 % (as aqueous solution) |
| <b>Flash point</b>                                 | not applicable                        |
| <b>Ignition temperature</b>                        | 360.00 °C                             |
| <b>Evaporation rate</b>                            | no data available                     |
| <b>Lower explosion limit/Upper explosion limit</b> | no data available                     |
| <b>Particle size</b>                               | no data available                     |
| <b>Vapour pressure</b>                             | no data available                     |
| <b>Relative vapour density</b>                     | no data available                     |
| <b>Density</b>                                     | 1.59 g/cm <sup>3</sup>                |
| <b>Bulk density</b>                                | no data available                     |
| <b>Water solubility</b>                            | soluble, Limited by viscosity         |
| <b>Solubility</b>                                  | no data available                     |
| <b>Partition coefficient: n-octanol/water</b>      | no data available                     |
| <b>log Pow</b>                                     | no data available                     |
| <b>Autoignition temperature</b>                    | no data available                     |
| <b>Viscosity, dynamic</b>                          | no data available                     |
| <b>Viscosity, kinematic</b>                        | no data available                     |
| <b>Solids in Solution</b>                          | no data available                     |
| <b>Decomposition temperature</b>                   | no data available                     |
| <b>Burning number</b>                              | no data available                     |
| <b>Dust explosion constant</b>                     | no data available                     |
| <b>Minimum ignition energy</b>                     | no data available                     |

## 10. STABILITY AND REACTIVITY

### Stability

Stable.

### Conditions to avoid

Keep away from heat, flame, sparks and other ignition sources. Exposure to sunlight., UV light.,  
Exposure to moisture.

### Incompatible products

Acids, Bases, Oxidizing agents

Aqualon® CMC 7HXF Cellulose Gum  
® Registered Trademark, Ashland or its  
subsidiaries  
431157

**Hazardous decomposition products**

carbon dioxide and carbon monoxide

**Hazardous reactions**

Product will not undergo hazardous polymerization.

**Thermal decomposition**

No data

**11. TOXICOLOGICAL INFORMATION**

**Acute oral toxicity** : LD 50 Rat : > 2,000 mg/kg  
**Acute inhalation toxicity** : LC 50 Rat: > 5,800 mg/L  
**Acute dermal toxicity** : LD 50 Rabbit:  
> 2,000 mg/kg

**12. ECOLOGICAL INFORMATION**

**Elimination information (persistence and degradability)**

**Biodegradability** : Slowly biodegradable

**Bioaccumulation**

**Ecotoxicity effects**

**Toxicity to fish** : 96 h static test LC 50 Oncorhynchus mykiss (rainbow trout): > 100.00 mg/L  
: 96 h static test LC 50 Lepomis macrochirus (Bluegill sunfish): > 100.00 mg/L

**Toxicity to daphnia and other aquatic invertebrates.**

**Toxicity to algae**

**Toxicity to bacteria**

**Biochemical Oxygen Demand (BOD)**

Aqualon® CMC 7HXF Cellulose Gum  
® Registered Trademark, Ashland or its  
subsidiaries  
431157

**Chemical Oxygen Demand (COD)**  
**Additional ecological information**

**13. DISPOSAL CONSIDERATIONS**

**Waste disposal methods**

For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Ashland Distribution's Environmental Services Group at 800-637-7922.

**14. TRANSPORT INFORMATION**

**REGULATION**

| ID NUMBER | PROPER SHIPPING NAME | *HAZARD CLASS | SUBSIDIARY HAZARDS | PACKING GROUP | MARINE POLLUTANT / LTD. QTY. |
|-----------|----------------------|---------------|--------------------|---------------|------------------------------|
|-----------|----------------------|---------------|--------------------|---------------|------------------------------|

**U.S. DOT - ROAD**

Not dangerous goods

**U.S. DOT - RAIL**

Not dangerous goods

**U.S. DOT - INLAND WATERWAYS**

Not dangerous goods

**TRANSPORT CANADA - ROAD**

Not dangerous goods

**TRANSPORT CANADA - RAIL**

Not dangerous goods

**TRANSPORT CANADA - INLAND WATERWAYS**

Not dangerous goods

**INTERNATIONAL MARITIME DANGEROUS GOODS**

Not dangerous goods

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO**

Aqualon® CMC 7HXF Cellulose Gum  
® Registered Trademark, Ashland or its  
subsidiaries  
431157

|                     |
|---------------------|
| Not dangerous goods |
|---------------------|

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER**

|                     |
|---------------------|
| Not dangerous goods |
|---------------------|

**MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES**

|                     |
|---------------------|
| Not dangerous goods |
|---------------------|

\*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

|                                   |
|-----------------------------------|
| <b>15. REGULATORY INFORMATION</b> |
|-----------------------------------|

**California Prop. 65**

|  |  |
|--|--|
| This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm. |  |
|--|--|

**SARA Hazard Classification**

Fire Hazard

**New Jersey RTK Label Information**

CELLULOSE 254504001-5918

**Pennsylvania RTK Label Information**

CELLULOSE 254504001-5918

**Notification status**

|   |                      |
|---|----------------------|
| US. Toxic Substances Control Act  | y (positive listing) |
| Canada. Canadian Environmental Protection Act (CEPA).                         | y (positive listing) |
| Domestic Substances List (DSL). (Can. Gaz. Part II, Vol. 133)                 |                      |
| Australia. Industrial Chemical (Notification and Assessment) Act              | y (positive listing) |
| New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand | y (positive listing) |

Aqualon® CMC 7HXF Cellulose Gum  
® Registered Trademark, Ashland or its  
subsidiaries  
431157

|  |                      |
|--|----------------------|
| Japan. Kashin-Hou Law List   | y (positive listing) |
| Korea. Toxic Chemical Control Law (TCCL) List                                    | y (positive listing) |
| Philippines. The Toxic Substances and Hazardous and Nuclear<br>Waste Control Act | y (positive listing) |
| China. Inventory of Existing Chemical Substances                                 | y (positive listing) |

|                  | HMIS | NFPA |
|------------------|------|------|
| Health           | 0    | 0    |
| Flammability     | 1    | 1    |
| Physical hazards | 0    |      |
| Instability      |      | 0    |
| Specific Hazard  | --   | --   |

**16. OTHER INFORMATION**

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).