

HOSTAPON CT PASTE

Page 1

Substance key: SXR004912
Version : 6 - 0 / USA

Revision Date: 08/06/2025
Date of printing :10/02/2025

SECTION 1. IDENTIFICATION

Identification of the company:	Clariant Corporation 500 East Morehead Street Charlotte, NC, 28202 Telephone No.: +1 704 331 7000
Information of the substance/preparation:	Product Stewardship, +1-704-331-7710 e-mail: SDS.NORAM@clariant.com
Emergency tel. number:	+1 800-424-9300 CHEMTREC

Trade name:	HOSTAPON CT PASTE
Material number:	105270
Synonyms:	Product Has No Synonyms
Primary product use:	Raw material for cosmetics Raw material for detergents
Chemical family:	A coco fatty acid methyl tauride, sodium salt.(ca. 30%) in aqueous solution

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Eye irritation : Category 2A

Other hazards

No additional hazards are known except those derived from the labelling.

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.

Prevention:

HOSTAPON CT PASTE

Page 2

Substance key: SXR004912

Revision Date: 08/06/2025

Version : 6 - 0 / USA

Date of printing :10/02/2025

P264 Wash skin thoroughly after handling.

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Fatty acid chlorides, C12-18 (even numbered) and C18 unsatd., reaction products with sodium N-methyltaurinate	61791-42-2*	>= 10 - <= 30	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Get medical advice/ attention if you feel unwell.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
Never give anything by mouth to an unconscious person.
Get immediate medical advice/ attention.

Give oxygen or artificial respiration if needed.
- In case of skin contact : If on skin, rinse well with water.
Take off all contaminated clothing immediately.
If skin irritation occurs, seek medical advice/attention.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Get immediate medical advice/ attention.
If easy to do, remove contact lens, if worn.
Protect unharmed eye.

HOSTAPON CT PASTE

Page 3

Substance key: SXR004912

Revision Date: 08/06/2025

Version : 6 - 0 / USA

Date of printing :10/02/2025

- Keep eye wide open while rinsing.
- If swallowed : Rinse mouth with water.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
Obtain medical attention.
- Most important symptoms and effects, both acute and delayed : The possible health hazards known are those derived from the labelling (see corresponding section) and/or provided in this section.
The possible symptoms known are those derived from the labelling (see section 2).
Causes serious eye irritation.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray jet
Alcohol-resistant foam
Dry powder
Carbon dioxide (CO₂)
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Chlorine compounds
Sodium oxides
Carbon oxides
Hydrocarbons
Nitrogen oxides (NO_x)
Sulphur compounds
- Further information : In the event of fire and/or explosion do not breathe fumes.
Do not allow run-off from fire fighting to enter drains or water courses.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Avoid contact with skin, eyes and clothing.
Ensure adequate ventilation.
Evacuate personnel to safe areas.

HOSTAPON CT PASTE

Page 4

Substance key: SXR004912

Revision Date: 08/06/2025

Version : 6 - 0 / USA

Date of printing :10/02/2025

Remove all sources of ignition.
Use personal protective equipment.
Refer to protective measures listed in sections 7 and 8.
Avoid breathing dust.
Avoid dust formation.
Contain spill. Ensure adequate ventilation and wear appropriate personal protective equipment. Collect onto inert absorbent. Place in sealable container. Do not allow to contaminate water sources or sewers.

Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.

Methods and materials for containment and cleaning up : Avoid dust formation.
Non-sparking tools should be used.
Take measures to prevent the build up of electrostatic charge.
Sweep up and shovel into suitable containers for disposal.
Clean contaminated surface thoroughly.
Treat recovered material as described in the section "Disposal considerations".

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Keep away from heat and sources of ignition.
Observe the general rules of industrial fire protection
Take precautionary measures against build-up of electrostatic charges, e.g earthing during loading and off-loading operations.
Dust can form an explosive mixture in air.
Electrical equipment should be protected to the appropriate standard.
Cool endangered containers with water spray jet.

Advice on safe handling : Use only with adequate ventilation/personal protection.
For personal protection see section 8.
Avoid contact with skin, eyes and clothing.
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Avoid dust formation.
Take measures to prevent the build up of electrostatic charge.
Ensure all equipment is electrically grounded before beginning transfer operations.
Use only non-sparking tools.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.
Handle and open container with care.
Keep away from sources of ignition - No smoking.

HOSTAPON CT PASTE

Page 5

Substance key: SXR004912
Version : 6 - 0 / USA

Revision Date: 08/06/2025
Date of printing :10/02/2025

- Materials to avoid : When used and handled as intended, none.
- Further information on storage stability : Stable under recommended storage conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

- Engineering measures** : Use adequate exhaust ventilation and/or dust collection to keep dust levels below exposure limits.

Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
- Hand protection
Remarks : Butyl Rubber, PVC Or Neoprene.
- Eye protection : Wear safety glasses with side shields or goggles.
Do not wear contact lenses.
- Skin and body protection : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.
- Protective measures : Observe the usual precautions for handling chemicals.
Avoid breathing dust or vapour.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
Use protective skin cream before handling the product.
Wash hands before breaks and at the end of workday.
Take off immediately all contaminated clothing and wash it before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : paste

SAFETY DATA SHEET

HOSTAPON CT PASTE

Page 6

Substance key: SXR004912

Revision Date: 08/06/2025

Version : 6 - 0 / USA

Date of printing :10/02/2025

Colour	:	off-white
Odour	:	characteristic
Odour Threshold	:	not determined
pH	:	7 - 8 Concentration: 1 % Method: DIN EN 1262
Flowing point	:	approx. 97 °F / 36 °C
Melting point	:	approx. 351 °F / 177 °C Method: OECD Test Guideline 102 Data corresponds to that of the active component
Boiling point	:	approx. 212 °F / 100 °C Based on water-content.
Flash point	:	> 212 °F / > 100 °C
Flammability (solid, gas)	:	The product is not flammable. Method: EC/440/2008, A.10 Remarks: Information based on the active ingredient.
Self-ignition	:	748 °F / 398 °C Method: EC A.16 Data corresponds to that of the active component
Upper explosion limit / upper flammability limit	:	Does not apply to solids.
Lower explosion limit / Lower flammability limit	:	Does not apply to solids.
Vapour pressure	:	3 kPa (77 °F / 25 °C) Corresp. to vapour pressure of water 0.00001 Pa (122 °F / 50 °C) The values mentioned are those of the active ingredient.
Relative vapour density	:	Does not apply to solids.
Density	:	approx. 1.1 g/cm ³ (140 °F / 60 °C) Method: DIN 51757
Solubility(ies) Water solubility	:	approx. 130 g/l soluble (68 °F / 20 °C)

HOSTAPON CT PASTE

Page 7

Substance key: SXR004912

Revision Date: 08/06/2025

Version : 6 - 0 / USA

Date of printing :10/02/2025

Solubility in other solvents	:	0.4 g/l (68 °F / 20 °C) Data corresponds to that of the active component Solvent: 1-octanol Method: OECD Test Guideline 105
Partition coefficient: n-octanol/water	:	log Pow: 0.24 (68 °F / 20 °C) pH: 6.4 Method: OECD Test Guideline 117 Information refers to the main component.
Auto-ignition temperature	:	Does not apply to solids.
Decomposition temperature	:	> 698 °F / > 370 °C
Viscosity		
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Does not apply to solids.
Explosive properties	:	Not explosive Information refers to the main component.
Oxidizing properties	:	There are no chemical groups associated with oxidising properties present in the molecule. Information refers to the main component.
Surface tension	:	25.6 mN/m, 68 °F / 20 °C, OECD Test Guideline 115, Data corresponds to that of the active component
Metal corrosion rate	:	no data available
Particle size	:	no data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable
Possibility of hazardous reactions	:	Stable
Conditions to avoid	:	Avoid dust formation.
Incompatible materials	:	not known
Hazardous decomposition products	:	When handled and stored appropriately, no dangerous decomposition products are known

HOSTAPON CT PASTE

Page 8

Substance key: SXR004912

Revision Date: 08/06/2025

Version : 6 - 0 / USA

Date of printing :10/02/2025

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Skin contact
Eye contact
Ingestion
Inhalation

Acute toxicity

Not classified

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401

Components:**Fatty acid chlorides, C12-18 (even numbered) and C18 unsatd., reaction products with sodium N-methyltaurinate:**

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Remarks: no data available

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: By analogy with a product of similar composition

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Components:**Fatty acid chlorides, C12-18 (even numbered) and C18 unsatd., reaction products with sodium N-methyltaurinate:**

Species : EPISKIN Human Skin Model Test
Method : OECD Test Guideline 431
Result : No skin irritation
GLP : yes

HOSTAPON CT PASTE

Page 9

Substance key: SXR004912

Revision Date: 08/06/2025

Version : 6 - 0 / USA

Date of printing :10/02/2025

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species : rabbit eye
Result : irritating
Method : OECD Test Guideline 405

Components:**Fatty acid chlorides, C12-18 (even numbered) and C18 unsatd., reaction products with sodium N-methyltaurinate:**

Species : Rabbit
Result : Irritating to eyes.
Method : OECD Test Guideline 405
GLP : yes

Respiratory or skin sensitisation**Skin sensitisation**

Not classified

Respiratory sensitisation

Not classified

Product:

Species : Guinea pig
Method : OECD Test Guideline 406
Result : non-sensitizing

Components:**Fatty acid chlorides, C12-18 (even numbered) and C18 unsatd., reaction products with sodium N-methyltaurinate:**

Test Type : Buehler Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.
GLP : yes

Assessment : Causes serious eye irritation.

Germ cell mutagenicity

Not classified

Components:**Fatty acid chlorides, C12-18 (even numbered) and C18 unsatd., reaction products with sodium N-methyltaurinate:**

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation

HOSTAPON CT PASTE

Page 10

Substance key: SXR004912

Revision Date: 08/06/2025

Version : 6 - 0 / USA

Date of printing :10/02/2025

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Test Type: Mammalian cell gene mutation assay

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

GLP: yes

Test Type: Micronucleus test

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative

GLP: yes

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity

Not classified

Components:**Fatty acid chlorides, C12-18 (even numbered) and C18 unsatd., reaction products with sodium N-methyltaurinate:**

Carcinogenicity - Assessment : No information available.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified

Components:**Fatty acid chlorides, C12-18 (even numbered) and C18 unsatd., reaction products with sodium N-methyltaurinate:**

Effects on fertility : Test Type: Fertility
Species: Rat, male and female
Strain: Sprague-Dawley
Application Route: oral (gavage)
General Toxicity - Parent: NOAEL: 1,000 mg/kg body weight

HOSTAPON CT PASTE

Page 11

Substance key: SXR004912

Revision Date: 08/06/2025

Version : 6 - 0 / USA

Date of printing :10/02/2025

General Toxicity F1: NOAEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 421
Remarks: By analogy with a product of similar composition

Effects on foetal development : Test Type: Pre-natal
Species: Rat
Strain: wistar
Application Route: oral (gavage)
General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight
Embryo-foetal toxicity: NOAEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 414
Result: No adverse effects

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

STOT - single exposure

Not classified

Components:**Fatty acid chlorides, C12-18 (even numbered) and C18 unsatd., reaction products with sodium N-methyltaurinate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Not classified

Components:**Fatty acid chlorides, C12-18 (even numbered) and C18 unsatd., reaction products with sodium N-methyltaurinate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Components:****Fatty acid chlorides, C12-18 (even numbered) and C18 unsatd., reaction products with sodium N-methyltaurinate:**

Species : Rat, male and female
NOAEL : 750 mg/kg bw/day
Application Route : oral (gavage)
Exposure time : 90 d
Method : OECD Test Guideline 408
Remarks : By analogy with a product of similar composition

Repeated dose toxicity - Assessment : Causes serious eye irritation.

HOSTAPON CT PASTE

Page 12

Substance key: SXR004912

Revision Date: 08/06/2025

Version : 6 - 0 / USA

Date of printing :10/02/2025

Aspiration toxicity

Not classified

Components:**Fatty acid chlorides, C12-18 (even numbered) and C18 unsatd., reaction products with sodium N-methyltaurinate:**

No aspiration toxicity classification

Experience with human exposure**Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

Further information**Product:**

Remarks : The product has not been tested. The information is derived from the properties of the individual components.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7.46 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: The values mentioned are those of the active ingredient.
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: The values mentioned are those of the active ingredient.
- EC10 (Desmodesmus subspicatus (green algae)): 36.2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: The values mentioned are those of the active ingredient.
- Toxicity to daphnia and other aquatic invertebrates : NOEC (Daphnia magna (Water flea)): 4 mg/l
Exposure time: 21 d

HOSTAPON CT PASTE

Page 13

Substance key: SXR004912

Revision Date: 08/06/2025

Version : 6 - 0 / USA

Date of printing :10/02/2025

- (Chronic toxicity) Method: OECD Test Guideline 211
Remarks: Information refers to the main component.
- Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: The values mentioned are those of the active ingredient.

Components:**Fatty acid chlorides, C12-18 (even numbered) and C18 unsatd., reaction products with sodium N-methyltaurinate:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 5.04 mg/l
End point: mortality
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4.6 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: semi-static test
Analytical monitoring: yes
Method: OECD Test Guideline 202
GLP: yes
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes
- Toxicity to fish (Chronic toxicity) : Remarks: no data available
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 4 mg/l
End point: Reproduction rate
Exposure time: 21 d
Test Type: semi-static test
Analytical monitoring: yes
Method: OECD Test Guideline 211
GLP: yes
- Toxicity to microorganisms : NOEC (activated sludge): 180 mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 3 h
Test Type: static test

HOSTAPON CT PASTE

Page 14

Substance key: SXR004912

Revision Date: 08/06/2025

Version : 6 - 0 / USA

Date of printing :10/02/2025

Analytical monitoring: no
Method: OECD Test Guideline 209
GLP: yes

Persistence and degradability**Product:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 90 %
Method: OECD Test Guideline 301E

Chemical Oxygen Demand (COD) : 670 mg/g

Components:**Fatty acid chlorides, C12-18 (even numbered) and C18 unsatd., reaction products with sodium N-methyltaurinate:**

Biodegradability : aerobic
Inoculum: activated sludge
Concentration: 91.5 mg/l
Carbon dioxide (CO₂)
Result: Readily biodegradable.
Biodegradation: 82 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).
Information refers to the main component.

Components:**Fatty acid chlorides, C12-18 (even numbered) and C18 unsatd., reaction products with sodium N-methyltaurinate:**

Partition coefficient: n-octanol/water : log Pow: -2.41 - 2.5
Method: Other
GLP: No information available.
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

Mobility in soil

no data available

Other adverse effects

no data available

HOSTAPON CT PASTE

Page 15

Substance key: SXR004912
Version : 6 - 0 / USA

Revision Date: 08/06/2025
Date of printing :10/02/2025

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

- RCRA - Resource Conservation and Recovery Act
Waste Code : This product, if discarded as sold, is not a Federal RCRA hazardous waste.
: NONE
- Waste from residues : Product should be taken to a suitable and authorized waste disposal site in accordance with relevant regulations and if necessary after consultation with the waste disposal operator and/or the competent Authorities
- Contaminated packaging : Packaging that cannot be cleaned should be disposed of as product waste

SECTION 14. TRANSPORT INFORMATION

- DOT not restricted
IATA not restricted
IMDG not restricted

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

HOSTAPON CT PASTE

Page 16

Substance key: SXR004912
Version : 6 - 0 / USA

Revision Date: 08/06/2025
Date of printing :10/02/2025

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.


This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

The components of this product are reported in the following inventories:

TSCA : All components of this product are listed on the TSCA Inventory. However, the primary use of this product is NOT subject to TSCA but rather to FDA and must comply with the FDA regulations.

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -

HOSTAPON CT PASTE

Page 17

Substance key: SXR004912

Revision Date: 08/06/2025

Version : 6 - 0 / USA

Date of printing :10/02/2025

International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Observe national and local legal requirements

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Revision Date : 08/06/2025

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

SAFETY DATA SHEET



HOSTAPON CT PASTE

Page 18

Substance key: SXR004912

Revision Date: 08/06/2025

Version : 6 - 0 / USA

Date of printing :10/02/2025