

## HOSTAPON SG

Page 1

Substance key: 000000275577

Revision Date: 08/06/2025

Version : 8 - 0 / USA

Date of printing :09/02/2025

## SECTION 1. IDENTIFICATION

<b>Identification of the company:</b>	Clariant Corporation 500 East Morehead Street Charlotte, NC, 28202 Telephone No.: +1 704 331 7000
<b>Information of the substance/preparation:</b>	Product Stewardship, +1-704-331-7710 e-mail: SDS.NORAM@clariant.com
<b>Emergency tel. number:</b>	+1 800-424-9300 CHEMTREC

**Trade name:** HOSTAPON SG**Material number:** 228327**Primary product use:** Raw material for cosmetics**Chemical family:** Sodium Cocoyl Glycinate in water solution.

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)****Hazards for the product as supplied**

Skin irritation : Category 2

Eye irritation : Category 2A

**Other hazards**

None known.

**GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H315 Causes skin irritation.  
H319 Causes serious eye irritation.Precautionary statements : P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.**Prevention:**

Substance key: 000000275577

Revision Date: 08/06/2025

Version : 8 - 0 / USA

Date of printing :09/02/2025

P264 Wash skin thoroughly after handling.  
 P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Fatty acid chlorides, C8-14 (even numbered), reaction products with glycine	90387-74-9*	>= 10 - <= 30	TSC
Fatty acids, coco, sodium salts	61789-31-9*	>= 0.1 - <= 1	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

General advice : Remove/ Take off immediately all contaminated clothing. Show this safety data sheet to the doctor in attendance.

If inhaled : Move the victim to fresh air. Give oxygen or artificial respiration if needed. Get immediate medical advice/ attention. Never give anything by mouth to an unconscious person.

In case of skin contact : Wash thoroughly with soap and water for 15 minutes. If skin irritation occurs, seek medical attention.

In case of eye contact : Immediately flush eyes with large amounts of water for at least 15 minutes, holding lids apart to ensure flushing of the entire surface. Washing eyes within 1 minute is essential to achieve maximum effectiveness. Seek medical attention immediately.

If swallowed : IF SWALLOWED: Immediately call a POISON CENTER/

---

Substance key: 000000275577

Revision Date: 08/06/2025

Version : 8 - 0 / USA

Date of printing :09/02/2025

---

doctor.

Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).  
No additional symptoms are known.  
Causes skin irritation.  
Causes serious eye irritation.

Notes to physician : Treat symptomatically.

---

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical  
Water spray

Unsuitable extinguishing media : High volume water jet

Specific hazards during firefighting : Thermal decomposition may produce:  
Carbon oxides

Burning produces noxious and toxic fumes.

Further information : Apply alcohol-type or all purpose-type foams by manufacturers' recommended techniques for large fires. Use carbon dioxide or dry chemical media for small fires. Do not direct a solid stream of water or foam into hot burning pools; this may cause frothing and increase fire intensity. Use self-contained breathing apparatus and protective equipment.

Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Avoid contact with skin, eyes and clothing.  
Wear proper protective equipment. Contain spill. Spills should be collected as a liquid or absorbed on suitable absorbant and placed in proper containers for disposal. Do not discharge into storm drains or the aquatic environment.

Environmental precautions : Do not allow contact with soil, surface or ground water.  
Prevent product from entering drains.

Methods and materials for : Prevent product from entering drains.

---

Substance key: 000000275577

Revision Date: 08/06/2025

Version : 8 - 0 / USA

Date of printing :09/02/2025

---

containment and cleaning up      Non-sparking tools should be used.  
Take measures to prevent the build up of electrostatic charge.  
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.

---

**SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion : Observe the general rules of industrial fire protection

Advice on safe handling : Wash thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice.  
Use only with adequate ventilation/personal protection.  
For personal protection see section 8.  
Avoid contact with skin, eyes and clothing.  
Use only with adequate ventilation.  
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Further information on storage conditions : Keep container closed.  
Store in a cool, dry, well-ventilated area. Keep container sealed when not in use.

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

**Engineering measures** : A system of local and/or general exhaust is recommended where employee exposures are at or above Occupational Exposure Limits (OEL).

**Personal protective equipment**

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

---

Substance key: 000000275577

Revision Date: 08/06/2025

Version : 8 - 0 / USA

Date of printing :09/02/2025

---

Hand protection Remarks	:	Butyl Rubber, PVC Or Neoprene.
Eye protection	:	Safety glasses or chemical splash goggles.
Skin and body protection	:	Wear protective clothing, including long sleeves and gloves, to prevent skin contact.
Protective measures	:	Observe the usual precautions for handling chemicals.
Hygiene measures	:	Wash hands before breaks and at the end of workday. Use protective skin cream before handling the product. Take off immediately all contaminated clothing and wash it before reuse.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	Liquid
Colour	:	colourless
Odour	:	No information available.
Odour Threshold	:	not determined
pH	:	10 - 11 (68 °F / 20 °C) Concentration: 100 % Method: DIN EN 1262
Melting point	:	43 °F / 6 °C Method: DIN 51004
Boiling point	:	> 212 °F / > 100 °C Method: EQH-1020-AA-0007
Flash point	:	> 212 °F / > 100 °C Method: EN 22719 (closed cup)
Evaporation rate	:	not determined
Flammability (solid, gas)	:	Not applicable
Self-ignition	:	no data available
Upper explosion limit / upper flammability limit	:	Not applicable
Lower explosion limit / Lower	:	Not applicable

## HOSTAPON SG

Page 6

Substance key: 000000275577

Revision Date: 08/06/2025

Version : 8 - 0 / USA

Date of printing :09/02/2025

flammability limit

Vapour pressure : < 0.001 kPa (68 °F / 20 °C)  
Method: calculated

Relative vapour density : no data available

Density : 1.07 g/cm<sup>3</sup>  
Method: ISO/DIS 12185

Solubility(ies)

Water solubility : soluble (68 °F / 20 °C)

Solubility in other solvents : 0.29 g/l (68 °F / 20 °C)  
Data corresponds to that of the active component  
Solvent: 1-octanol

Partition coefficient: n-octanol/water : log Pow: -0.2 (68 °F / 20 °C)  
Information refers to the main component.

Auto-ignition temperature : Not applicable

Decomposition temperature : > 662 °F / > 350 °C  
Method: DIN 51758

Viscosity

Viscosity, dynamic : 1,350 mPa.s (73 °F / 23 °C)  
Method: ISO 2555

Viscosity, kinematic : no data available

Explosive properties : Not explosive  
Method: Expert judgement

Oxidizing properties : The substance or mixture is not classified as oxidizing.  
Method: Expert judgement

Surface tension : approx. 23.2 N/m, 1 g/l, 68 °F / 20 °C, OECD Test Guideline 115, Data corresponds to that of the active component

Dust explosion class : not capable of dust explosion

Metal corrosion rate : < 6.25 mm/a  
The product shows corrosion properties to metals (Steel or Aluminium), but not sufficient to classify it as corrosive. The corrosion rate is < 6,25 mm/y at 55 °C.

Particle size : Not applicable

Substance key: 000000275577

Revision Date: 08/06/2025

Version : 8 - 0 / USA

Date of printing :09/02/2025

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Strong acids and oxidizing agents Strong bases
Incompatible materials	:	Keep away from strong bases. Strong acids Oxidizer
Hazardous decomposition products	:	When handled and stored appropriately, no dangerous decomposition products are known

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Eye contact

**Acute toxicity**

Not classified

**Product:**

Acute oral toxicity	:	LD50 (Rat, female): > 2,000 mg/kg Method: OECD Test Guideline 423 GLP: yes
Acute inhalation toxicity	:	Remarks: no data available
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

**Components:****Fatty acid chlorides, C8-14 (even numbered), reaction products with glycine:**

Acute oral toxicity	:	LD50 (Rat, female): > 2,000 mg/kg Method: OECD Test Guideline 423 GLP: yes Remarks: No significant adverse effects were reported
Acute inhalation toxicity	:	Remarks: not required
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402 GLP: yes

## HOSTAPON SG

Page 8

Substance key: 000000275577

Revision Date: 08/06/2025

Version : 8 - 0 / USA

Date of printing :09/02/2025

**Skin corrosion/irritation**

Causes skin irritation.

**Product:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Moderate skin irritation  
GLP : yes

**Components:****Fatty acid chlorides, C8-14 (even numbered), reaction products with glycine:**

Species : Rabbit  
Exposure time : 4 h  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

Species : EPISKIN Human Skin Model Test  
Exposure time : 15 min  
Method : OECD Test Guideline 439  
Result : No skin irritation  
GLP : yes

**Fatty acids, coco, sodium salts:**

Result : Causes burns.

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Product:**

Species : rabbit eye  
Result : irritating  
Method : OECD Test Guideline 405  
GLP : yes

**Components:****Fatty acid chlorides, C8-14 (even numbered), reaction products with glycine:**

Result : Risk of serious damage to eyes.

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified

**Respiratory sensitisation**

Not classified

**Product:**

Test Type : Skin

## HOSTAPON SG

Page 9

Substance key: 000000275577

Revision Date: 08/06/2025

Version : 8 - 0 / USA

Date of printing :09/02/2025

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : non-sensitizing  
GLP : yes

**Components:****Fatty acid chlorides, C8-14 (even numbered), reaction products with glycine:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Not a skin sensitizer.  
GLP : yes

**Germ cell mutagenicity**

Not classified

**Product:**

Genotoxicity in vitro : Test Type: Mammalian cell gene mutation assay  
Test system: Mouse cells  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

Germ cell mutagenicity - Assessment : Not mutagenic in Ames Test

**Components:****Fatty acid chlorides, C8-14 (even numbered), reaction products with glycine:**

Genotoxicity in vitro : Test Type: In vitro gene mutation study in mammalian cells  
Test system: mouse lymphoma cells  
Concentration: 5,9 - 282 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

Test Type: Ames test  
Test system: Salmonella typhimurium  
Concentration: 3 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster lung cells  
Concentration: 40 - 625 µg/ml  
Metabolic activation: with and without metabolic activation

## HOSTAPON SG

Page 10

Substance key: 000000275577

Revision Date: 08/06/2025

Version : 8 - 0 / USA

Date of printing :09/02/2025

Method: OECD Test Guideline 473

Result: Positive only in the test with metabolic activation

GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (male)  
Strain: ICR  
Cell type: Bone marrow cells  
Application Route: Intraperitoneal injection  
Exposure time: 24 h  
Dose: 50 - 100 - 200 - 400 mg/kg  
Method: OECD Test Guideline 474  
Result: negative  
GLP: yes

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

**Carcinogenicity**

Not classified

**Product:**

Carcinogenicity - Assessment : No information available.

**Components:****Fatty acid chlorides, C8-14 (even numbered), reaction products with glycine:**

Carcinogenicity - Assessment : No information available.

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified

**Product:**

Reproductive toxicity - Assessment : No information available.

No information available.

## HOSTAPON SG

Page 11

Substance key: 000000275577

Revision Date: 08/06/2025

Version : 8 - 0 / USA

Date of printing :09/02/2025

**Components:****Fatty acid chlorides, C8-14 (even numbered), reaction products with glycine:**

Effects on fertility : Test Type: reproductive and developmental toxicity study  
Species: Rat, male and female  
Strain: wistar  
Application Route: oral (gavage)  
Dose: 62,5 - 250 - 1000 mg/kg  
Frequency of Treatment: 1 daily  
General Toxicity - Parent: NOAEL: 1,000 mg/kg body weight  
General Toxicity F1: NOAEL: 250 mg/kg body weight  
Method: OECD Test Guideline 421  
GLP: yes

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

**STOT - single exposure**

Not classified

**Product:**

Remarks : no data available

**Components:****Fatty acid chlorides, C8-14 (even numbered), reaction products with glycine:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - repeated exposure**

Not classified

**Product:**

Remarks : no data available

**Components:****Fatty acid chlorides, C8-14 (even numbered), reaction products with glycine:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Repeated dose toxicity****Product:**

Remarks : no data available

**Components:****Fatty acid chlorides, C8-14 (even numbered), reaction products with glycine:**

Species : Rat, male and female

## HOSTAPON SG

Page 12

Substance key: 000000275577

Revision Date: 08/06/2025

Version : 8 - 0 / USA

Date of printing :09/02/2025

NOAEL : 1000 mg/kg bw/day  
Application Route : oral (gavage)  
Exposure time : 28 d  
Number of exposures : 7 days/week  
Dose : 62,5 - 250 - 1000 mg/kg  
Control Group : yes  
Subsequent observation period : 14 d  
Method : OECD Test Guideline 407  
GLP : yes

**Aspiration toxicity**

Not classified

**Product:**

no data available

**Components:****Fatty acid chlorides, C8-14 (even numbered), reaction products with glycine:**

No aspiration toxicity classification

**Experience with human exposure****Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

**Further information****Components:****Fatty acid chlorides, C8-14 (even numbered), reaction products with glycine:**

Test Type : Toxicokinetics, metabolism and distribution

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 14.3 mg/l  
Exposure time: 48 h

## HOSTAPON SG

Page 13

Substance key: 000000275577

Revision Date: 08/06/2025

Version : 8 - 0 / USA

Date of printing :09/02/2025

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 89.9 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 20 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
GLP: yes

Toxicity to microorganisms : Remarks: no data available

**Components:****Fatty acid chlorides, C8-14 (even numbered), reaction products with glycine:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.8 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: The values mentioned are those of the active ingredient.

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 61 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: The values mentioned are those of the active ingredient.

ErC10 (Desmodesmus subspicatus (green algae)): 21.7 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: The values mentioned are those of the active ingredient.

Toxicity to fish (Chronic toxicity) : Remarks: not required

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 4 mg/l

## HOSTAPON SG

Page 14

Substance key: 000000275577

Revision Date: 08/06/2025

Version : 8 - 0 / USA

Date of printing :09/02/2025

- aquatic invertebrates  
(Chronic toxicity) : End point: Reproduction rate  
Exposure time: 21 d  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 211  
GLP: yes  
Remarks: Information refers to the main component.
- Toxicity to microorganisms : EC50 (activated sludge): 791 mg/l  
End point: Bacteria toxicity (respiration inhibition)  
Exposure time: 3 h  
Test Type: aquatic  
Analytical monitoring: no  
Method: OECD Test Guideline 209  
GLP: yes  
Remarks: The values mentioned are those of the active ingredient.
- NOEC (activated sludge): 320 mg/l  
End point: Bacteria toxicity (respiration inhibition)  
Exposure time: 3 h  
Test Type: aquatic  
Analytical monitoring: no  
Method: OECD Test Guideline 209  
GLP: yes  
Remarks: The values mentioned are those of the active ingredient.

**Persistence and degradability****Product:**

- Biodegradability : Inoculum: activated sludge, non-adapted  
Result: Readily biodegradable.  
Biodegradation: 83 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

**Components:****Fatty acid chlorides, C8-14 (even numbered), reaction products with glycine:**

- Biodegradability : aerobic  
Inoculum: activated sludge  
Concentration: 108 mg/l  
Carbon dioxide (CO<sub>2</sub>)  
Result: Readily biodegradable.  
Biodegradation: 83 - 86 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes
- Physico-chemical : Remarks: Readily biodegradable, according to appropriate



---

Substance key: 000000275577

Revision Date: 08/06/2025

Version : 8 - 0 / USA

Date of printing :09/02/2025

---

courses or the soil.

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

- RCRA - Resource Conservation and Recovery Act  
Waste Code : This product, if discarded as sold, is not a Federal RCRA hazardous waste.  
: NONE
- Waste from residues : Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities.
- Contaminated packaging : Packaging that cannot be cleaned should be disposed of as product waste

---

**SECTION 14. TRANSPORT INFORMATION**

- DOT not restricted
- IATA not restricted
- IMDG not restricted

---

**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

- SARA 311/312 Hazards** : Skin corrosion or irritation  
Serious eye damage or eye irritation

- SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

## HOSTAPON SG

Page 17

Substance key: 000000275577

Revision Date: 08/06/2025

Version : 8 - 0 / USA

Date of printing :09/02/2025

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.


This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

**The components of this product are reported in the following inventories:**

TSCA : The product is not listed in TSCA. However, it is excluded from the regulation because it is a cosmetic raw material and it is permitted for that use.

DSL : The product is not listed in DSL/Canada, but the product is excluded from the regulation, provided the product is used only as a cosmetic ingredient., This product contains a substance listed on the Canadian In-Commerce List (ICL).

**SECTION 16. OTHER INFORMATION****Further information****NFPA 704:****Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -

---

Substance key: 000000275577

Revision Date: 08/06/2025

Version : 8 - 0 / USA

Date of printing :09/02/2025

---

Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For additional information, contact Product Stewardship.

Revision Date : 08/06/2025

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

# SAFETY DATA SHEET



**HOSTAPON SG**

Page 19

---

Substance key: 000000275577

Revision Date: 08/06/2025

---

Version : 8 - 0 / USA

Date of printing :09/02/2025

---

US / EN